



PREMIUM LUBRICANTS · INDIA · 2026



FEATURED PRODUCT

MULTIGRADE 20W40

API CI-4 PLUS / S L · A C E A E 7

EDITION

VOLUME

PRODUCT COLLECTION 2026

ENGINEERED LUBRICATION · INDIAN ORIGIN

OIL IS NOT A COMMODITY

A lubricant is a contract between molecules and motion. We honor it with premium base stocks, balanced additive chemistry, and the kind of formulation discipline that holds performance from the first kilometer to the last.

From precision motorcycle 4T grades to fully synthetic passenger car oils, heavy-duty diesel multigrades, premium gear oil, anti-wear hydraulic fluid, and multi-vehicle ATF; every SUAIQA product is formulated to current API, ACEA, JASO and ISO specification, and BS-VI ready where applicable.

FOUR STROKE

BS-VI READY · THREE FORMULATIONS



NO. 01

4T X PRO

FLAGSHIP · HIGH-RPM SYNTHETIC

Advanced synthetic chemistry holds film strength under sustained high-RPM loads. The flagship of the 4T line — continuous protection where heat and pressure peak.

SPECIFICATION

PACK

JASO MA2

APISL

1L · 900ML · 50L · 210L



NO. 02

4T PLUS

SYNTHETIC TECHNOLOGY · EVERYDAY

Synthetic-technology based oils with carefully balanced additives. Quick cold-start flow, stable viscosity through stop-go traffic, clean engine internals over the long mileage interval.

SPECIFICATION

PACK

APISL

BS-VIREADY

1L · 900ML · 50L · 210L



NO. 03

4T ADVANCE

REFINED RELIABLE · LONG-DRAIN

Advanced base-oil blend tuned for Indian riding conditions. Reduces friction and clutch slippage so power transfers cleanly to the wheel; gear after gear, kilometer after kilometer.

SPECIFICATION

PACK

API SL

BS-VI READY

1L · 900ML · 50L · 210L

FULLY SYNTHETIC.

API SN/CF · ACEA A3/B4 · PETROL & DIESEL



5W30

LOWER VISCOSITY

4 L · 3 L · 1 L

5W30 — A low-viscosity fully synthetic for modern petrol and diesel engines. Improves fuel efficiency, fast cold-start protection, and stable thermal performance across the full service interval.



5W40

HIGHER VISCOSITY

4 L · 3 L · 1 L

5W40 — Higher viscosity for high-performance and high-mileage engines. Maintains film strength under load with superior thermal stability and reduced engine wear over long service intervals.

BUILT FOR THE LONG HAUL.

.API CI-4 PLUS / SL .

.ACEA E7 .

.HEAVY-DUTY DIESEL.



15W40

COLD-START READY
PACK 4L

20W40

ALL-SEASON PROTECTION
PACK 4L

20W50

HEAVYLOAD · HIGHTEMP
PACK 5L

Three multigrade diesel oils for fleet trucks, tippers, tractors and stationary engines. Superior soot control, oxidation resistance and high-temperature stability — built for the long Indian highway and the load it carries.

PREMIUM GEAR OIL.

80W90

AUTOMATIVE GEAR OIL · EXTREME PRESSURE

A robust extreme-pressure gear oil for manual transmissions, axles and final-drive differentials. Excellent wear protection, superior thermal stability, and smoother gear engagement across the torque curve.

KEY BENEFITS

- **EXCELLENT WEAR PROTECTION**
Extreme-pressure additives shield gear teeth under load
- **SUPERIOR THERMAL STABILITY**
Resists viscosity loss at sustained high operating temperatures
- **SMOOTHER GEAR OPERATION**
Lower friction translates to cleaner shifts and quieter drives

SPECIFICATION

API	GL-4
VISCOSITY	SAE 80W90
TYPE	EXTREME PRESSURE
APPLICATION	AUTOMOTIVE GEARBOX

AVAILABLE PACK SIZES

500 mL · 1L · 3L · 5L · 20L · 50L · 210L



HYDRAULIC OIL.

AW68

ANTI-WEAR HYDRAULIC OIL INDUSTRIAL & MOBILE

Premium anti-wear hydraulic oil for industrial and mobile hydraulic systems. Outstanding oxidation life, superior rust and corrosion protection, and rapid water separation under high-pressure operation.

KEY BENEFITS

- **EXCELLENT WEAR PROTECTION**
Anti-wear additives extend pump and valve service life
- **THERMAL STABILITY**
Holds viscosity through high working temperatures
- **RUST & CORROSION PROTECT.**
Protective film barrier for system internals
- **RAPID WATER SEPARATION**
Releases entrained water for cleaner hydraulic operation

SPECIFICATION

STANDARD	ISO VG 68
DIN	DIN 51524 PART 2
TYPE	ANTI-WEAR HYDRAULIC
APPLICATION	INDUSTRIAL & MOBILE

AVAILABLE PACK SIZES

1L · 3L · 5L · 20L · 50L · 210L



AUTOMATIC TRANSMISSION FLUID.

ATF

AUTOMATIC TRANSMISSION FLUID MULTI-VEHICLE

A multi-vehicle ATF formulated for modern automatic transmissions and power-steering systems. Delivers smooth shifts, excellent friction durability and reliable thermal stability through the service life of the unit.

KEY BENEFITS

- **SMOOTH GEAR SHIFTING**
Consistent friction profile across operating range
- **EXCELLENT FRICTION DURABILITY**
Holds clutch performance from fresh fill to drain
- **HIGH THERMAL STABILITY**
Resists oxidation under sustained transmission heat
- **WEAR & CORROSION PROTECTION**
Protective additives extend transmission service life

SPECIFICATION

STANDARD	DEXRON-III
STANDARD	MERCON
TYPE	MULTI-VEHICLE ATF
APPLICATION	AUTO. TRANSMISSION & POWER STEERING

AVAILABLE PACK SIZES
1L • 3L • 5L • 20L • 210L



TRANSMISSION OIL. UTTO POWER

UNIVERSAL TRACTOR TRANSMISSION OIL

A multi-function oil designed for tractors and agricultural/construction machinery where one oil serves multiple systems.

KEY BENEFITS

- **MULTI SYSTEM**
One oil, all Systems
- **TEMPERATURE STABLE**
Hot or cold ready
- **WEAR PROTECTED**
Guards gears and pumps
- **BRAKE SAFE**
No chatter or noise

SPECIFICATION

STANDARD	API GL-4
STANDARD	ALLISON C-4
TYPE	MULTI-FUNCTIONAL TRACTOR & AGRICULTURAL FLUID
APPLICATION	MULTI EQUIPMENT, POWERSHIFT & TRANSMISSION SYSTEMS



AVAILABLE PACK SIZES

1L, 5L, 7.5L, 10L, 20L, 26L, 50L, 210L

MULTI PURPOSE GREASE. AP-3

MULTIPURPOSE LITHIUM SOAP BASED GREASE


A lithium soap-based multipurpose grease, NLGI consistency grade 3, stiffer than AP-2.

KEY BENEFITS

- **Water Resistant**
Won't wash or corrode
- **SUPERIOR LOAD CARRYING**
Resists load and vibration
- **HIGH TEMPERATURE STABLE**
Holds above 180°C
- **LONG LIFE**
Anti-rust and corrosion protected.

SPECIFICATION

STANDARD	AP-3
STANDARD	NLGI-3
TYPE	MULTI PURPOSE LITHIUM EP GREASE
APPLICATION	BEARINGS, CHASSIS & INDUSTRIAL MACHINERY



AVAILABLE PACK SIZES

1L, 5L, 7.5L, 10L, 20L, 26L, 50L, 210L

ONE PROMISE. THIRTEEN FORMULATIONS.

API, ACEA, JASO AND ISO SPECIFICATION, AND BS-VI READY



01 XPRO 02 PLUS 03 ADVANCE 04 5W30 05 5W40 06 15W40 07 20W40 08 20W50 09 80W90 10 AW68 11 ATF 12 UTTO POWER 13 AP-3

From precision motorcycle 4T grades through fully synthetic passenger car oils, heavy-duty diesel multigrades, premium gear oil, anti-wear hydraulic fluid, grease and multi-vehicle ATF — every grade in the SUAIQA collection is formulated to current API, ACEA, JASO and ISO specification, and BS-VI ready where applicable.

SPECIFICATIONS & APPLICATIONS.

EVERY GRADE · EVERY STANDARD · EVERY APPLICATION

PRODUCT	GRADE	SPEC	APPLICATION	PACK
4T X PRO	20W40	JASO MA2 · API SL	Motorcycle 4-stroke	1L · 900mL · 50L · 210L
4T PLUS	20W40	API SL · BS-VI	Motorcycle 4-stroke	1L · 900mL · 50L · 210L
4T ADVANCE	20W40	API SL · BS-VI	Motorcycle 4-stroke	1L · 900mL · 50L · 210L
CAR 5W30	5W30	API SN/CF · ACEA A3/B4	Petrol & Diesel — modern car engines	1L · 3L · 4L · 5L · 20L · 210L
CAR 5W40	5W40	API SN/CF · ACEA A3/B4	Petrol & Diesel — high performance	1L · 3L · 4L · 5L · 20L · 210L
DIESEL 15W40	15W40	API CI-4 PLUS/SL ACEA E7	Heavy-duty diesel · fleet	1L · 5L · 10L · 20L · 50L · 210L
DIESEL 20W40	20W40	API CI-4 PLUS/SL ACEA E7	Heavy-duty diesel · all-season	1L · 5L · 10L · 20L · 50L · 210L
DIESEL 20W50	20W50	API CI-4 PLUS/SL ACEA E7	Heavy-duty diesel · hot/load	1L · 5L · 10L · 20L · 50L · 210L
GEAR 80W90	80W90	API GL-4	Manual gearbox · final drive	500mL · 1L · 3L · 5L · 20L · 210L
HYDRAULIC AW 68	AW 68	ISO VG 68 · DIN 51524	Industrial & mobile hydraulics	1L · 3L · 5L · 20L · 50L · 210L
ATF MULTI-VEH.	ATF	DEXRON-III · MERCON	Auto. transmission · power steering	1L · 3L · 5L · 20L · 210L
UTTO POWER	SAE 10W-30	API GL-4 · ALLISON C4	Power-shift · transmission	1L, 5L, 7.5L, 10L, 20L, 26L, 50L, 210L
GREASE AP-3	AP-3	NLGI - 3	Bearings, chassis, machinery.	1L, 5L, 7.5L, 10L, 20L, 26L, 50L, 210L

ALL SPECIFICATIONS PRINTED FOR REFERENCE · PACK AVAILABILITY MAY VARY BY REGION

WHY SUAIQA GOLD.

SIX REASONS DISTRIBUTORS BUY WITH US

01

BS-VI READY

Every relevant grade meets BS-VI emission norms. Your customers stay compliant from the day they fill.

03

MADE IN INDIA

Blended in India, for Indian operating cycles. Heat, dust, load, grade— the conditions our oils are tested in.

05

PACK SIZE FLEXIBILITY

From 500 mL retail packs to 210L drums for fleet and industrial buyers — every channel served.

02

API · ACEA · JASO · ISO

We formulate to current international specifications and label honestly — no shortcuts on the spec sheet.

04

FULL DRAIN INTERVAL

Our oils hold their declared performance for the full interval. The last litre protects like the first.

06

DISTRIBUTOR-FIRST

Strong margins, dependable supply, marketing support. A partner relationship, not a transaction.





SUAIQA

ENGINEERED LUBRICATION · INDIAN ORIGIN

PARTNERSHIPS ·

DISTRIBUTORS ·

BULK SUPPLY

SUAIQAGOLD.IN · +91 ON REQUEST

· PRODUCT COLLECTION ·

ALL SPECIFICATIONS PRINTED FOR REFERENCE · PRODUCT BOTTLES INDICATIVE